Safety data sheet
according to UK REACH

Printing date 11.07.2025 Version Nr.: 12 (replaces version 11) Revision: 23.05.2025

*
SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· **1.1 Product identifier**
· **Trade name: VICKERLUBE FG FLUID 68**

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**
· **Sector of Use**
SU17 General manufacturing, e.g. machinery, equipment, vehicles, other transport equipment
SU4 Manufacture of food products
· **Product category**
PC17 Hydraulic fluids
PC24 Lubricants, greases, release products
· **Process category**
PROC18 General greasing /lubrication at high kinetic energy conditions
PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities
PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)
· **Environmental release category** ERC5 Use at industrial site leading to inclusion into/onto article
· **Technical function** Hydraulic (functional) fluids

· **Application of the substance / the mixture** Food Grade Lubricant

· **1.3 Details of the supplier of the safety data sheet**
· **Manufacturer/Supplier:**
BENJN.R.VICKERS & SONS LTD.
6 Clarence Road
Leeds
LS10 1ND
United Kingdom

· **Further information obtainable from:** Product safety department: msds@vickers-oil.com
· **1.4 Emergency telephone number:**
During normal opening times 08:30- 16:30 UK : +44 (0)113 386 7654
All other times: +44 (0) 1865 407333

*
SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**
· **Classification according to Regulation (EC) No 1272/2008**
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· **2.2 Label elements**
· **Hazard pictograms** None
· **Signal word** None
· **Hazard statements**
H412 Harmful to aquatic life with long lasting effects.
· **Precautionary statements**
P273 Avoid release to the environment.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
· **2.3 Other hazards**
Endocrine Disruption- Toxicity
The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or
Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Endocrine Disruption- Ecotoxicity

(Contd. on page 2)

Safety data sheet
according to UK REACH

Printing date 11.07.2025 Version Nr.: 12 (replaces version 11) Revision: 23.05.2025

Trade name: VICKERLUBE FG FLUID 68

(Contd. of page 1)

The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or
Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.

*
SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**
· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**		
EINECS: 232-455-8	White mineral oil, petroleum substance with a Community workplace exposure limit	70-100%
EINECS: 265-158-7	Distillates (petroleum), hydrotreated light paraffinic (Note L, -H350, <3% dimethyl sulfoxide) Asp. Tox. 1, H304	10-25%
EINECS: 204-881-4 Reg.nr.: UK-01-7190623247-6-xxxx	2,6-Bis(1,1-dimethylethyl)-4-methylphenol Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302	<1%
EINECS: 270-128-1	Alkylated diphenylamine Repr. 2, H361f	<1%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

*
SECTION 4: First aid measures

· **4.1 Description of first aid measures**
· **After inhalation:** Supply fresh air; consult doctor in case of complaints.
· **After skin contact:** Generally the product does not irritate the skin.
· **After eye contact:** Rinse opened eye for several minutes under running water.
· **After swallowing:**
Do not induce vomiting. Wash out mouth with water. Seek medical attention. showing this sheet.
· **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.
· **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

*
SECTION 5: Firefighting measures

· **5.1 Extinguishing media**
· **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
· **5.2 Special hazards arising from the substance or mixture**
Nitrogen oxides (NOx)
Carbon monoxide (CO)
Carbon Dioxide (CO2)

(Contd. on page 3)

Safety data sheet
according to UK REACH

Printing date 11.07.2025 Version Nr.: 12 (replaces version 11) Revision: 23.05.2025

Trade name: VICKERLUBE FG FLUID 68

(Contd. of page 2)

· **5.3 Advice for firefighters**
· **Protective equipment:** Do not inhale explosion gases or combustion gases.

*
SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**
Keep away from ignition sources.
· **6.2 Environmental precautions:**
Keep contaminated washing water and dispose of appropriately.
Inform respective authorities in case of seepage into water course or sewage system.
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
· **6.3 Methods and material for containment and cleaning up:**
Send for recovery or disposal in suitable receptacles.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.
· **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

*
SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
· **Information about fire - and explosion protection:** No special measures required.

· **7.2 Conditions for safe storage, including any incompatibilities**
· **Storage:**
· **Requirements to be met by storerooms and receptacles:** Provide ventilation for receptacles.
· **Information about storage in one common storage facility:**
Store away from oxidising agents.
Store away from reducing agents.
· **Information about storage conditions:** Use within 5 years of manufacture.
· **7.3 Specific end use(s)** No further relevant information available.

*
SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**	
White mineral oil, petroleum	
OEL	Short-term value: 5 mg/m³
Distillates (petroleum), hydrotreated light paraffinic. DMSO content <3%	
EH 40 2005	Short-term value: 5 mg/m³ Long-term value: 10 mg/m³

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**
· **Appropriate engineering controls** No further data; see section 7.

(Contd. on page 4)

Safety data sheet
according to UK REACH

Printing date 11.07.2025 Version Nr.: 12 (replaces version 11) Revision: 23.05.2025

Trade name: VICKERLUBE FG FLUID 68

(Contd. of page 3)

· **Individual protection measures, such as personal protective equipment**
· **General protective and hygienic measures:** Wash hands before breaks and at the end of work.
· **Respiratory protection:**
Use suitable respiratory protective device only when aerosol or mist is formed.
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
· **Hand protection**
Oil resistant gloves
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
· **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
· **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
· **Eye/face protection** Safety glasses with side shields (EN 166)

*
SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**	
· **General Information**	
· **Physical state**	Liquid
· **Colour:**	Water white
· **Odour:**	Odourless
· **Odour threshold:**	Not determined.
· **Melting point/freezing point:**	Undetermined.
· **Boiling point or initial boiling point and boiling range**	Undetermined.
· **Flammability**	Not applicable.
· **Lower and upper explosion limit**	
· **Lower:**	Not determined.
· **Upper:**	Not determined.
· **Flash point:**	>215 °C
· **Decomposition temperature:**	Not determined.
· **pH**	Not determined.
· **Viscosity:**	
· **Kinematic viscosity at 40 °C**	~68 mm²/s
· **Dynamic:**	Not determined.
· **Solubility**	
· **water:**	Not miscible or difficult to mix.
· **Partition coefficient n-octanol/water (log value)**	Not determined.
· **Vapour pressure:**	Not determined.
· **Density and/or relative density**	
· **Density at 20 °C:**	0.87 g/cm³
· **Relative density**	Not determined.

(Contd. on page 5)

Safety data sheet
according to UK REACH

Printing date 11.07.2025 Version Nr.: 12 (replaces version 11) Revision: 23.05.2025

Trade name: VICKERLUBE FG FLUID 68

(Contd. of page 4)

· **Vapour density**	Not determined.
· **9.2 Other information**	
· **Appearance:**	
· **Form:**	Liquid
· **Important information on protection of health and environment, and on safety.**	
· **Ignition temperature:**	Product is not selfigniting.
· **Explosive properties:**	Product does not present an explosion hazard.
· **Solvent content:**	
· **Solids content:**	0.0 %
· **Change in condition**	
· **Evaporation rate**	Not determined.
· **Information with regard to physical hazard classes**	
· **Explosives**	None
· **Flammable gases**	None
· **Aerosols**	None
· **Oxidising gases**	None
· **Gases under pressure**	None
· **Flammable liquids**	None
· **Flammable solids**	None
· **Self-reactive substances and mixtures**	None
· **Pyrophoric liquids**	None
· **Pyrophoric solids**	None
· **Self-heating substances and mixtures**	None
· **Substances and mixtures, which emit flammable gases in contact with water**	None
· **Oxidising liquids**	None
· **Oxidising solids**	None
· **Organic peroxides**	None
· **Corrosive to metals**	None
· **Desensitised explosives**	None

*
SECTION 10: Stability and reactivity

· **10.1 Reactivity** No dangerous reaction know under conditions of normal use
· **10.2 Chemical stability**
· **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
· **10.3 Possibility of hazardous reactions** Reacts with acids, alkalis and oxidising agents.
· **10.4 Conditions to avoid** No further relevant information available.
· **10.5 Incompatible materials:** Strong oxidising agents
· **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

*
SECTION 11: Toxicological information

· **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
· **Acute toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 6)

Safety data sheet
according to UK REACH

Printing date 11.07.2025 Version Nr.: 12 (replaces version 11) Revision: 23.05.2025

Trade name: VICKERLUBE FG FLUID 68

(Contd. of page 5)

· **LD/LC50 values relevant for classification:**		
Distillates (petroleum), hydrotreated light paraffinic. DMSO content <3%		
Oral	LD50	>5,000 mg/kg (rat)
2,6-Bis(1,1-dimethylethyl)-4-methylphenol		
Oral	LD50	890 mg/kg (rat)

· **Primary irritant effect:**
· **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
· **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
· **Sensitisation:** Based on available data, the classification criteria are not met.
· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
· **Carcinogenicity** Based on available data, the classification criteria are not met.
· **Reproductive toxicity** Based on available data, the classification criteria are not met.
· **STOT-single exposure** Based on available data, the classification criteria are not met.
· **STOT-repeated exposure** Based on available data, the classification criteria are not met.
· **Aspiration hazard** Based on available data, the classification criteria are not met.
· **11.2 Information on other hazards**

· **Endocrine disrupting properties**	
2,6-Bis(1,1-dimethylethyl)-4-methylphenol	List II

*
SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**	
Distillates (petroleum), hydrotreated light paraffinic. DMSO content <3%	
LC50/96h	>1,000 mg/l (fish)

· **12.2 Persistence and degradability** No further relevant information available.
· **12.3 Bioaccumulative potential** No further relevant information available.
· **12.4 Mobility in soil** No further relevant information available.
· **12.5 Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.
· **12.6 Endocrine disrupting properties**
For information on endocrine disrupting properties see section 11.
· **12.7 Other adverse effects**
· **Remark:** Harmful to fish
· **Additional ecological information:**
· **General notes:**
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.
Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water
Harmful to aquatic organisms

(Contd. on page 7)

Safety data sheet
according to UK REACH

Printing date 11.07.2025 Version Nr.: 12 (replaces version 11) Revision: 23.05.2025

Trade name: VICKERLUBE FG FLUID 68

(Contd. of page 6)

*
SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**
· **Recommendation**
Delivery of waste oil to offically authorised collectors only.
Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packaging:**
· **Recommendation:** Disposal must be made according to official regulations.
· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

*
SECTION 14: Transport information

· **14.1 UN number or ID number**	
· **ADR, IMDG, IATA**	Not hazardous for transport
· **14.2 UN proper shipping name**	
· **ADR, IMDG, IATA**	Not hazardous for transport
· **14.3 Transport hazard class(es)**	
· **ADR, ADN, IMDG, IATA**	
· **Class**	Not hazardous for transport
· **14.4 Packing group**	
· **ADR, IMDG, IATA**	Not hazardous for transport
· **14.5 Environmental hazards:**	Not applicable.
· **14.6 Special precautions for user**	Not applicable.
· **14.7 Maritime transport in bulk according to IMO instruments**	Not applicable.
· **UN "Model Regulation":**	Not hazardous for transport

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Directive 2012/18/EU**
· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

*
SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 8)

Safety data sheet
according to UK REACH

Printing date 11.07.2025 Version Nr.: 12 (replaces version 11) Revision: 23.05.2025

Trade name: VICKERLUBE FG FLUID 68

(Contd. of page 7)

· **Relevant phrases**
H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H361f Suspected of damaging fertility.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

· **Department issuing SDS:** Product safety department
· **Contact:**
msds@vickers-oil.com
Emergency 24 hrs Telephone numbers;
Europe (English) +44 1865 407333
Europe (English, Turkish) +44 1235 239670
Turkey (English, Turkish) 0800 621 2139 (toll-free, Turkey only)
Middle East / Africa (English) +44 1235 239671
Americas (English, Spanish, Portuguese) +1 215 207 0061
Americas (English) +1 202 464 2554
Mexico (English, Spanish) +52 555 004 8763
Brazil (Portuguese, Spanish, English) +55 11 3197 5891
Chile (English, Spanish) +56 225 829 336
Colombia (English, Spanish) +57 601 508 7337
Argentina (English, Spanish) +54 11 5984 3690
Asia-Pacific (English, Japanese, Mandarin) +65 3158 1074
Asia-Pacific (English) +65 3165 2217
China (English , Mandarin) 400 120 6011 (toll-free, China only)
China (Mainland) (English, Mandarin) 0532 8388 9090
Taiwan (English, Mandarin) +886 2 8793 3212
Japan (English, Japanese) 0120 015 230 (toll-free, Japan only)
· **Abbreviations and acronyms:**
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity – Category 4
Repr. 2: Reproductive toxicity – Category 2
Asp. Tox. 1: Aspiration hazard – Category 1
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
· *** Data compared to the previous version altered.**