Safety data sheet
according to UK REACH

Printing date 16.05.2025 Version Nr.: 12 (replaces version 11) Revision: 01.05.2025

*
SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**
· **Trade name: VICKERLUBE FGS GEAR OIL 220**

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**
· **Sector of Use**
SU1 Agriculture, forestry, fishery
SU4 Manufacture of food products
SU17 General manufacturing, e.g. machinery, equipment, vehicles, other transport equipment
· **Product category** PC24 Lubricants, greases, release products
· **Process category**
PROC18 General greasing /lubrication at high kinetic energy conditions
PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities
PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)
· **Environmental release category** ERC7 Use of functional fluid at industrial site
· **Technical function** Lubricating agent

· **Application of the substance / the mixture** Food Grade

· **1.3 Details of the supplier of the safety data sheet**
· **Manufacturer/Supplier:**
BENJN.R.VICKERS & SONS LTD.
6 Clarence Road
Leeds
LS10 1ND
United Kingdom

· **Further information obtainable from:** Product safety department: msds@vickers-oil.com
· **1.4 Emergency telephone number:**
During normal opening times 08:30- 16:30 UK : +44 (0)113 386 7654
All other times: +44 (0) 1865 407333

*
SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**
· **Classification according to Regulation (EC) No 1272/2008**
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· **2.2 Label elements**
· **Hazard pictograms** None
· **Signal word** None
· **Hazard statements**
H412 Harmful to aquatic life with long lasting effects.
· **Precautionary statements**
P273 Avoid release to the environment.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
· **2.3 Other hazards**
Endocrine Disruption- Toxicity
The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or
Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Endocrine Disruption- Ecotoxicity
The substance/mixture does not contain components considered to have endocrine disrupting

(Contd. on page 2)

Safety data sheet
according to UK REACH

Printing date 16.05.2025 Version Nr.: 12 (replaces version 11) Revision: 01.05.2025

Trade name: VICKERLUBE FGS GEAR OIL 220

(Contd. of page 1)

properties according to UK REACH Article 57(f) or
Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.

*
SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**
· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**		
EINECS: 204-881-4 Reg.nr.: UK-01-7190623247-6-xxxx	2,6-Bis(1,1-dimethylethyl)-4-methylphenol Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302	<1%
EINECS: 270-128-1	Alkylated diphenylamine Repr. 2, H361f	<1%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**
· **General information:** No special measures required.
· **After inhalation:** Supply fresh air; consult doctor in case of complaints.
· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
· **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
· **After swallowing:**
Do not induce vomiting. Wash out mouth with water. Seek medical attention. showing this sheet.
· **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.
· **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

*
SECTION 5: Firefighting measures

· **5.1 Extinguishing media**
· **Suitable extinguishing agents:**
Use fire extinguishing methods suitable to surrounding conditions.
CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
· **For safety reasons unsuitable extinguishing agents:** Water with full jet
· **5.2 Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
· **5.3 Advice for firefighters**
· **Protective equipment:** Do not inhale explosion gases or combustion gases.

(Contd. on page 3)

Safety data sheet
according to UK REACH

Printing date 16.05.2025 Version Nr.: 12 (replaces version 11) Revision: 01.05.2025

Trade name: VICKERLUBE FGS GEAR OIL 220

(Contd. of page 2)

*
SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**
Keep away from ignition sources.
Remove persons from danger area.
Wear protective equipment. Keep unprotected persons away.
· **6.2 Environmental precautions:**
Keep contaminated washing water and dispose of appropriately.
Do not allow to enter sewers/ surface or ground water.
· **6.3 Methods and material for containment and cleaning up:**
Send for recovery or disposal in suitable receptacles.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.
· **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

*
SECTION 7: Handling and storage

· **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
· **Information about fire - and explosion protection:** Keep ignition sources away - Do not smoke.

· **7.2 Conditions for safe storage, including any incompatibilities**
· **Storage:**
· **Requirements to be met by storerooms and receptacles:**
Provide ventilation for receptacles.
Store in a cool location.
· **Information about storage in one common storage facility:**
Store away from oxidising agents.
Store away from reducing agents.
· **Information about storage conditions:** Use within 5 years of manufacture.
· **7.3 Specific end use(s)** No further relevant information available.

*
SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**
· **Ingredients with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**
· **Appropriate engineering controls** No further data; see section 7.
· **Individual protection measures, such as personal protective equipment**
· **General protective and hygienic measures:**
The usual precautionary measures are to be adhered to when handling chemicals.
· **Respiratory protection:**
Use suitable respiratory protective device only when aerosol or mist is formed.
· **Hand protection**
Oil resistant gloves

(Contd. on page 4)

Safety data sheet
according to UK REACH

Printing date 16.05.2025 Version Nr.: 12 (replaces version 11) Revision: 01.05.2025

Trade name: VICKERLUBE FGS GEAR OIL 220

(Contd. of page 3)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection** Safety glasses with side shields (EN 166)

*
SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**	
· **General Information**	
· **Physical state**	Liquid
· **Colour:**	Water white
· **Odour:**	Characteristic
· **Odour threshold:**	Not determined.
· **Melting point/freezing point:**	Undetermined.
· **Boiling point or initial boiling point and boiling range**	Undetermined.
· **Flammability**	Not applicable.
· **Lower and upper explosion limit**	
· **Lower:**	Not determined.
· **Upper:**	Not determined.
· **Flash point:**	>240 °C
· **Decomposition temperature:**	Not determined.
· **pH**	Not determined.
· **Viscosity:**	
· **Kinematic viscosity at 40 °C**	220 mm²/s
· **Dynamic:**	Not determined.
· **Solubility**	
· **water:**	Not miscible or difficult to mix.
· **Partition coefficient n-octanol/water (log value)**	Not determined.
· **Vapour pressure:**	Not determined.
· **Density and/or relative density**	
· **Density:**	0.85 g/cm³
· **Relative density**	Not determined.
· **Vapour density**	Not determined.

· **9.2 Other information**	
· **Appearance:**	
· **Form:**	Liquid
· **Important information on protection of health and environment, and on safety.**	
· **Ignition temperature:**	Product is not selfigniting.

(Contd. on page 5)

Safety data sheet
according to UK REACH

Printing date 16.05.2025 Version Nr.: 12 (replaces version 11) Revision: 01.05.2025

Trade name: VICKERLUBE FGS GEAR OIL 220

(Contd. of page 4)

· **Explosive properties:**	Product does not present an explosion hazard.
· **Change in condition**	
· **Evaporation rate**	Not determined.

· **Information with regard to physical hazard classes**	
· **Explosives**	None
· **Flammable gases**	None
· **Aerosols**	None
· **Oxidising gases**	None
· **Gases under pressure**	None
· **Flammable liquids**	None
· **Flammable solids**	None
· **Self-reactive substances and mixtures**	None
· **Pyrophoric liquids**	None
· **Pyrophoric solids**	None
· **Self-heating substances and mixtures**	None
· **Substances and mixtures, which emit flammable gases in contact with water**	None
· **Oxidising liquids**	None
· **Oxidising solids**	None
· **Organic peroxides**	None
· **Corrosive to metals**	None
· **Desensitised explosives**	None

*
SECTION 10: Stability and reactivity

· **10.1 Reactivity** No dangerous reaction know under conditions of normal use
· **10.2 Chemical stability**
· **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
· **10.3 Possibility of hazardous reactions** Reacts with acids, alkalis and oxidising agents.
· **10.4 Conditions to avoid** No further relevant information available.
· **10.5 Incompatible materials:** Strong oxidising agents
· **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

*
SECTION 11: Toxicological information

· **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
· **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**		
2,6-Bis(1,1-dimethylethyl)-4-methylphenol		
Oral	LD50	890 mg/kg (rat)

· **Primary irritant effect:**
· **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
· **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
· **Sensitisation:** Based on available data, the classification criteria are not met.
· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
· **Carcinogenicity** Based on available data, the classification criteria are not met.

(Contd. on page 6)

Safety data sheet
according to UK REACH

Printing date 16.05.2025 Version Nr.: 12 (replaces version 11) Revision: 01.05.2025

Trade name: VICKERLUBE FGS GEAR OIL 220

(Contd. of page 5)

· **Reproductive toxicity** Based on available data, the classification criteria are not met.
· **STOT-single exposure** Based on available data, the classification criteria are not met.
· **STOT-repeated exposure** Based on available data, the classification criteria are not met.
· **Aspiration hazard** Based on available data, the classification criteria are not met.
· **11.2 Information on other hazards**

· **Endocrine disrupting properties**	
2,6-Bis(1,1-dimethylethyl)-4-methylphenol	List II

*
SECTION 12: Ecological information

· **12.1 Toxicity**
· **Aquatic toxicity:** No further relevant information available.
· **12.2 Persistence and degradability** No further relevant information available.
· **12.3 Bioaccumulative potential** No further relevant information available.
· **12.4 Mobility in soil** No further relevant information available.
· **12.5 Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.
· **12.6 Endocrine disrupting properties**
For information on endocrine disrupting properties see section 11.
· **12.7 Other adverse effects**
· **Additional ecological information:**
· **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

*
SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**
· **Recommendation** Delivery of waste oil to offically authorised collectors only.

· **Uncleaned packaging:**
· **Recommendation:** Disposal must be made according to official regulations.

*
SECTION 14: Transport information

· **14.1 UN number or ID number**	
· **ADR, ADN, IMDG, IATA**	Not hazardous for transport
· **14.2 UN proper shipping name**	
· **ADR, ADN, IMDG, IATA**	Not hazardous for transport
· **14.3 Transport hazard class(es)**	
· **ADR, ADN, IMDG, IATA**	
· **Class**	Not hazardous for transport
· **14.4 Packing group**	
· **ADR, IMDG, IATA**	Not hazardous for transport

(Contd. on page 7)

Safety data sheet
according to UK REACH

Printing date 16.05.2025 Version Nr.: 12 (replaces version 11) Revision: 01.05.2025

Trade name: VICKERLUBE FGS GEAR OIL 220

(Contd. of page 6)

· **14.5 Environmental hazards:**	Not applicable.
· **14.6 Special precautions for user**	Not applicable.
· **14.7 Maritime transport in bulk according to IMO instruments**	Not applicable.
· **UN "Model Regulation":**	Not hazardous for transport

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Directive 2012/18/EU**
· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

*
SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**
H302 Harmful if swallowed.
H361f Suspected of damaging fertility.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

· **Department issuing SDS:** Product safety department
· **Contact:**
msds@vickers-oil.com
Emergency 24 hrs Telephone numbers;
Europe (English) +44 1865 407333
Europe (English, Turkish) +44 1235 239670
Turkey (English, Turkish) 0800 621 2139 (toll-free, Turkey only)
Middle East / Africa (English) +44 1235 239671
Americas (English, Spanish, Portuguese) +1 215 207 0061Americas (English) +1 202 464 2554
Mexico (English, Spanish) +52 555 004 8763
Brazil (Portuguese, Spanish, English) +55 11 3197 5891
Chile (English, Spanish) +56 225 829 336
Colombia (English, Spanish) +57 601 508 7337
Argentina (English, Spanish) +54 11 5984 3690
Asia-Pacific (English, Japanese, Mandarin) +65 3158 1074
Asia-Pacific (English) +65 3165 2217
China (English , Mandarin) 400 120 6011 (toll-free, China only)
China (Mainland) (English, Mandarin) 0532 8388 9090
Taiwan (English, Mandarin) +886 2 8793 3212
Japan (English, Japanese) 0120 015 230 (toll-free, Japan only)

(Contd. on page 8)

Safety data sheet
according to UK REACH

Printing date 16.05.2025 Version Nr.: 12 (replaces version 11) Revision: 01.05.2025

Trade name: VICKERLUBE FGS GEAR OIL 220

(Contd. of page 7)

· **Abbreviations and acronyms:**
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity – Category 4
Repr. 2: Reproductive toxicity – Category 2
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
· *** Data compared to the previous version altered.**