Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 26.11.2019 Version Nr.: 10 Revision: 26.11.2019

*

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· **1.1 Product identifier**
· **Trade name: VICKERLUBE SOFTCOAT CPF**

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**
· **Sector of Use**
SU1 Agriculture, forestry, fishery
SU17 General manufacturing, e.g. machinery, equipment, vehicles, other transport equipment
SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
SU2a Mining, (without offshore industries)
SU19 Building and construction work
· **Product category** PC14 Metal surface treatment products
· **Process category**
PROC7 Industrial spraying
PROC10 Roller application or brushing
PROC28 Manual maintenance (cleaning and repair) of machinery
· **Environmental release category**
ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article)
· **Technical function** Corrosion inhibitor

· **Application of the substance / the mixture**
Metal surface treatment
Corrosion inhibitors

· **1.3 Details of the supplier of the safety data sheet**
· **Manufacturer/Supplier:**
BENJN.R.VICKERS & SONS LTD.
6 Clarence Road
Leeds
LS10 1ND
United Kingdom

· **Further information obtainable from:** Product safety department: msds@vickers-oil.com
· **1.4 Emergency telephone number:**
During normal opening times 08:30- 16:30 UK : +44 (0)113 386 7654
All other times: +44 (0) 1865 407333

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**
· **Classification according to Regulation (EC) No 1272/2008**


GHS08 health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

· **2.2 Label elements**
· **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
· **Hazard pictograms** GHS08
· **Signal word** Danger

· **Hazard-determining components of labelling:**
Light White Mineral Oil

(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 26.11.2019 Version Nr.: 10 Revision: 26.11.2019

Trade name: VICKERLUBE SOFTCOAT CPF

(Contd. of page 1)

· **Hazard statements**
H304 May be fatal if swallowed and enters airways.
· **Precautionary statements**
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P331 Do NOT induce vomiting.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
· **2.3 Other hazards**
· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.

*
SECTION 3: Composition/information on ingredients

· **3.2 Chemical characterisation: Mixtures**
· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**		
EINECS: 295-550-3	Light White Mineral Oil Asp. Tox. 1, H304	**50-70**
EINECS: 271-259-4	Benzenesulfonic acid, C10-16 alkyl derivs, Calcium salt Eye Irrit. 2, H319	**2.5-10**
	Zinc Alkynaphthalenesulfonate Skin Irrit. 2, H315; Eye Irrit. 2, H319	**2.5-10**
	Calcium Alylnapthalenesulfonate Skin Irrit. 2, H315; Eye Irrit. 2, H319	**2.5-10**

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**
· **After inhalation:** Supply fresh air; consult doctor in case of complaints.
· **After skin contact:** Generally the product does not irritate the skin.
· **After eye contact:** Rinse opened eye for several minutes under running water.
· **After swallowing:** If symptoms persist consult doctor.
· **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.
· **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**
· **Suitable extinguishing agents:**
CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
· **5.2 Special hazards arising from the substance or mixture** No further relevant information available.

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 26.11.2019 Version Nr.: 10 Revision: 26.11.2019

Trade name: VICKERLUBE SOFTCOAT CPF

(Contd. of page 2)

· **5.3 Advice for firefighters**
· **Protective equipment:** No special measures required.

*
SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective clothing.
Keep away from ignition sources.
· **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
· **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
· **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

*
SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
SHAKE WELL BEFORE USE
· **Information about fire - and explosion protection:** No special measures required.

· **7.2 Conditions for safe storage, including any incompatibilities**
· **Storage:**
· **Requirements to be met by storerooms and receptacles:**
Do not expose to temperatures exceeding 50 C
· **Information about storage in one common storage facility:** Not required.
· **Information about storage conditions:**
Use within 3 years of manufacture
Shake well before use.
· **7.3 Specific end use(s)** No further relevant information available.

*
SECTION 8: Exposure controls/personal protection

· **Additional information about design of technical facilities:** No further data; see item 7.

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**	
Light White Mineral Oil	
OEL	Short-term value: 10 mg/m³ Long-term value: 5 mg/m³

· **Additional information:** The lists valid during the making were used as basis.

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 26.11.2019 Version Nr.: 10 Revision: 26.11.2019

Trade name: VICKERLUBE SOFTCOAT CPF

(Contd. of page 3)

· **8.2 Exposure controls**
· **Personal protective equipment:**
· **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.
· **Respiratory protection:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
· **Protection of hands:**
Oil resistant gloves
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
· **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
· **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
· **Eye protection:**



Tightly sealed goggles

*
SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**	
· **General Information**	
· **Appearance:**	
Form:	Fluid
Colour:	Brown
· **Odour:**	Solvent-like
· **Odour threshold:**	Not determined.
· **pH-value:**	Not determined.
· **Change in condition**	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	175 °C
· **Flash point:**	>100 °C
· **Flammability (solid, gas):**	Not applicable.
· **Ignition temperature:**	210 °C
· **Decomposition temperature:**	Not determined.
· **Auto-ignition temperature:**	Product is not selfigniting.

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 26.11.2019 Version Nr.: 10 Revision: 26.11.2019

Trade name: VICKERLUBE SOFTCOAT CPF

(Contd. of page 4)

· **Explosive properties:**	Product does not present an explosion hazard.
· **Explosion limits:**	
Lower:	Not determined.
Upper:	Not determined.
· **Vapour pressure:**	Not determined.
· **Density at 15 °C:**	0.9 g/cm³
· **Relative density**	Not determined.
· **Vapour density**	Not determined.
· **Evaporation rate**	Not determined.
· **Solubility in / Miscibility with water:**	Not miscible or difficult to mix.
· **Partition coefficient: n-octanol/water:**	Not determined.
· **Viscosity:**	
Dynamic:	Not determined.
Kinematic at 40 °C:	18.7 cSt
· **Solvent content:**	
Solids content:	0.0
· **9.2 Other information**	No further relevant information available.

SECTION 10: Stability and reactivity

· **10.1 Reactivity** No further relevant information available.
· **10.2 Chemical stability**
· **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
· **10.3 Possibility of hazardous reactions** No dangerous reactions known.
· **10.4 Conditions to avoid** No further relevant information available.
· **10.5 Incompatible materials:** No further relevant information available.
· **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

· **11.1 Information on toxicological effects**
· **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**

Light White Mineral Oil		
Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)
Inhalative	LC50/4 h	>5,000 mg/l (rat)

· **Primary irritant effect:**
· **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
· **Serious eye damage/irritation** Based on available data, the classification criteria are not met.

(Contd. on page 6)

Trusted for Generations

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 26.11.2019 Version Nr.: 10 Revision: 26.11.2019

Trade name: VICKERLUBE SOFTCOAT CPF

(Contd. of page 5)

· **Sensitisation:** Based on available data, the classification criteria are not met.
· **CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)**
· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
· **Carcinogenicity** Based on available data, the classification criteria are not met.
· **Reproductive toxicity** Based on available data, the classification criteria are not met.
· **STOT-single exposure** Based on available data, the classification criteria are not met.
· **STOT-repeated exposure** Based on available data, the classification criteria are not met.
· **Aspiration hazard**
May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**	
LC50/96h	>1,000 mg/l (fish)
EC50/48h	>1,000 mg/l (daphnia)
EC50/72h	>1,000 mg/l (algae)

· **12.2 Persistence and degradability** No further relevant information available.
· **12.3 Bioaccumulative potential** No further relevant information available.
· **12.4 Mobility in soil** No further relevant information available.
· **Additional ecological information:**
· **General notes:**
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.
· **12.5 Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.
· **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **European waste catalogue**	
13 00 00	OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19)
13 08 00	oil wastes not otherwise specified
13 08 99*	wastes not otherwise specified

· **Uncleaned packaging:**
· **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 7)

Trusted for Generations

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 26.11.2019 Version Nr.: 10 Revision: 26.11.2019

Trade name: VICKERLUBE SOFTCOAT CPF

(Contd. of page 6)

*
SECTION 14: Transport information

· **14.1 UN-Number** · **ADR, ADN, IMDG, IATA**	Not hazardous for transport
· **14.2 UN proper shipping name** · **ADR, ADN, IMDG, IATA**	Not hazardous for transport
· **14.3 Transport hazard class(es)** · **ADR, ADN, IMDG, IATA** · **Class**	Not hazardous for transport
· **14.4 Packing group** · **ADR, IMDG, IATA**	Not hazardous for transport
· **14.5 Environmental hazards:**	Not applicable.
· **14.6 Special precautions for user**	Not applicable.
· **14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**	Not applicable.
· **UN "Model Regulation":**	Not hazardous for transport

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Directive 2012/18/EU**
· **Named dangerous substances - ANNEX I** None of the ingredients is listed.
· **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

*
SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H319 Causes serious eye irritation.

· **Department issuing SDS:** Product safety department
· **Contact:**
msds@vickers-oil.com
Emergency 24 hrs Telephone numbers;
Global (English) +44 (0) 1865 407333
US and Canada (English) +1 202 464 2554
Mexico (Spanish, English) +52 555 004 8763
Brazil (Portuguese) +556 113 711 9144 (option 1)
Chile (Spanish, English) +56 225 829 336
China (Mandarin, English) Toll Free in CN 400 120 6011
Australia (English) +61 2801 44558

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 26.11.2019 Version Nr.: 10 Revision: 26.11.2019

Trade name: VICKERLUBE SOFTCOAT CPF

(Contd. of page 7)

New Zealand (English) +64 9929 1483

· **Abbreviations and acronyms:**
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Asp. Tox. 1: Aspiration hazard – Category 1

· *** Data compared to the previous version altered.**